

Engineering Specification

Job Name _____
 Job Location _____
 Engineer _____
 Approval _____

Contractor _____
 Approval _____
 Contractor's P.O. No. _____
 Representative _____

Hand Showers

Part Nos. 141 152FL, 141 150FL

Specifications

Description Low Flow Hand Shower with 24" Glide Rail Type M or 30" Glide Rail Type L
 Finish Chrome Plated
 Agency/Spec Approval . . . IAPMO cUPC
 ASME A112.18.1
 CSA B125.1
 WaterSense®




The products indicated as WaterSense meet LEED® Indoor Water Use Reduction requirements and may help earn a LEED Water Efficiency credit.

Maximum Flow 1.5 gpm (5.7L/min) MAX at 80 psi
 Minimum Flow 1.1 gpm (4.3L/min) MAX at 45 psi
 Shipping Weight 141 152FL: 3.16 lb (1.43 kg)
 141 150FL: 3.28 lb (1.49 kg)



Detail



Call customer support if you need assistance with technical details.

Part No. 141 152FL

ITEM	MODEL	DESCRIPTION	QTY
1	141150AN	Hand Sprayer, 4 Setting, Pause, CP PL, 1.50 GPM, WS	1
2	141161BN	Hose, Stainless Steel, 60 Inches	1
*3	141163DN	Glide Rail, 24", SS, Adjustable Cradle	1
4	141320N	Supply Elbow CP Plastic Cover, Brass 1/2 NPT	1

Part No. 141 150FL

ITEM	MODEL	DESCRIPTION	QTY
1	141150AN	Hand Sprayer, 4 Setting, Pause, CP PL, 1.50 GPM, WS	1
2	141161BN	Hose, Stainless Steel, 60 Inches	1
*3	141731N	Glide Rail, 30", SS, Adjustable Cradle	1
4	141320N	Supply Elbow CP Plastic Cover, Brass 1/2 NPT	1

*Warning: Never use this product as a grab bar or for support. Personal injury may result if this product is misused.

Powers product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Powers Technical Service. Powers reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Powers products previously or subsequently sold.



USA: Tel: (888) 432-8932 • PowersControls.com
Canada: Tel: (888) 208-8927 • PowersControls.ca
Latin America: Tel: (52) 55-4122-0138 • PowersControls.com